


## Lithium-ion Rechargeable Battery Cell

### CELL CHARACTERISTICS

Capacity	Nominal	3,400 mAh 12.24 Wh
Cell Voltage	Nominal Charge Discharge	3.6 V 4.2 V 2.5 V
Continuous Charge Current	Standard Fast Charge	1.7 A 3.4 A
Charge Time	Standard Fast Charge	180 min 90 min
Continuous Discharge Current	Maximum	10 A
Internal Resistance	AC (1 KHz)	≤35 mΩ
Operating Temperature	Charge Discharge	0°C to 45°C -20°C to 60°C
Energy Density	Volumetric Gravimetric	762 Wh/L 263 Wh/kg

### PHYSICAL CHARACTERISTICS




Shape	Cylindrical
Can	Steel
Diameter	65.3 mm (Max)
Height	18.6 mm (Max)
Weight	50 g (Max)


**⊖** The information shown on this document is for descriptive purpose only. This document is not intended to make or imply any performance guarantee or a product warranty.

All specifications and characteristics shown herein are for REFERENCE ONLY, please check the latest version of the product specification for guidance. All specifications and characteristics shown herein are subject to change without prior notice and should be verified with a Tenpower representative or the nearest Tenpower recognized agent before placing an order.


### CHARGE RATE CHARACTERISTICS



### DISCHARGE RATE CHARACTERISTICS



### DISCHARGE TEMPERATURE CHARACTERISTICS



### CYCLE LIFE CHARACTERISTICS

